JUN 30 1992 ENGINEERING DATA TRANSMITTAL

Page 1 of _____ 1. EDT 158869

	1	J											
2. To	: (Rece	iving Orga	nization)	3	S. From: (0	riginat	ing Organ	ization)	4. Related EDT No.:				
l	rd Fi								NA				
		./Dept./Di	v.:	6	. Cog. Engr	`.:			7. Purchase Order No.:				
l		•	storation	F	R. D. Bel	lden				N <i>A</i>	<u> </u>		
		Remarks:							9. Equip.,	/Componen	t No.:		
Rele	ase t	o recor	d file.							N <i>P</i>	1		
									10. Syster	m/Bldg./F	acilit	y:	
										NA	1		
11. R	eceiver	Remarks:							12. Major	Assm. Dw	g. No.	:	
										N/	1		
l									13. Permi		• -	ation	No.:
										N/	1		
					14. Requi	red Respo	nse Da	te:					
										N/	1		
15.				DATA	TRANSMITTED)			(F)	(G)	(H)		(1)
(A)				(C) Sheet	(D) Rev.	El Tala or Description of Date			Impact	Reason for	Origi nato		Receiv- er
Item No.	(B)	Document/Dr	awing No.	No.	No.		Tran	smitted	Level	Trans-	Dispo	-	Dispo-
										mittai	sitio	` 	sition
1.	WHO-	SD-EN-	11-039		Ø		uation	or Chromium	4	,			
								-1 and 300-				1	
								ble Units					
16.	<u></u>					KE	Y						
	mpact Lev	/el (F)		Reason fo	or Transmittal ((G)				n (H) & (i)			, <u>.</u>
1, 2, 3 MRP 5	3, or 4 (se : 43)	•	1. Approval 2. Release	4. Revie 5. Post-				1. Approved 2. Approved w/co		1. Reviewed 5. Reviewed			
			3. Information		(Receipt Ackno	ow. Requ	ired)	3. Disapproved w/	comment (3. Receipt a	cknowi	dged	т
(G)	(H)	17.			SIGN (See Impact		ISTRIBUTIO					(G)	(H)
Rea-	Disp.	(J) Nan	na (K) Sig	nature (L)	Date (MI M	CINI	(J) Na		ure (L) Date	(M) MSIN	1	Rea-	Disp.
50N	1	Cog.Eng.	R. D. Belde	PR	elden 1/2	14-55			a			4011	
2	1		. R. A. Caris		- V- V-	4-55							
2	1 1	cog. mgr		··· nacc	UN-0177	ا متر <i>ن</i> ۱ ۵۵			21. DOE A	DDDOVAL 4	if par	nul nor	<u> </u>
18.			19.			20	20(bu 0	ar alalas	Ltr.	No.	, at the	unec	1)
139	Beiden	10. 4/	(/2)			f f.	A. Carlson	4410	[] Approv	ed ed w/com	nents		
Signat	ure of ED	T Date			ntative Date		gnizant/Proj		[] Disapp			S	
Origina	ator		for Rece	iving Organi	ization	En	gineer's Mai	nager	1				

BD-7400-172-2 (07/91) GEF097

Originator

for Receiving Organization

10

Ç•] 9



BD-7400-172-1 (02/89)

SUPPORTING DOCUMENT 1. Total Pages 26 3. Number 2. Title 4. Rev No. Evaluation of Hexevalent Chromium for 300-FF-1 and WHC-SD-EN-T1-039 0 300-FF-5 Operable Units 5. Key Words 6. Author R. D. Belden Belden APPROVED FOR **PUBLIC RELEASE** Organization/Charge Code 81222/PC3AA/PC2AA 6/19/9271. Solis 7. Abstract 8. PURPOSE AND USE OF DOCUMENT - This document was prowithin the U.S. Department of energy and its contractobe used only to perform, direct, or integrate U.S. Department of Energy contracts. This document is for public release until reviewed. ns document was pro are for use 10. RELEASE STAMP It is to proved PATENT STATUS to his document copy, lince it is transmitted in advance of patent clearance, is made available in omfidence solely for use in performance of work under contracts with the U.S. Department of inergy. This document is at to be published nor its contents otherwise disseminated or used for purposes other than specified above before patent approval for such clease or use has been secured, upon request from the Patent Counsel, U.S. Department of Energy Field Office, Richland, WA. OFFICIAL RELEASE. DISCLAIMER - This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the BY WHC DATE JUN 3 0 1992 United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors N

expressed herein do not necessarily state or reflect those of the

United States Government or any agency thereof.

Impact Level

200

11

54 2

WHC-SD-EN-TI-039, Rev. 0

CONTENTS

1.0	INTRODUCTION	. 1							
2.0	GROUNDWATER DATA	. 1							
3.0	SOILS ANALYSIS	, 4							
4.0	CONCLUSIONS	. 5							
5.0	REFERENCES	. 6							
FIGURE									
1	Master Well Map	. 3							
APPENI	DIX								
Α	Well Result Report	A-1							
TABLE	es __								
1 2	300-FF-5 Groundwater Samples	. 1							

in.

. ^

N

1.0 INTRODUCTION

In order to resolve the issue regarding the existence or nonexistence of Cr(VI) in the 300-FF-1 and 300-FF-5 operable units, a close look at the sample data from representative wells in and around 300-FF-1 was taken. Samples were taken from 20 wells and a total of 686 samples were taken during the period between June 17, 1985, and December 18, 1991.

2.0 GROUNDWATER DATA

The samples were analyzed using Inductively Coupled Plasma (ICP) Emission Spectrometry. Analysis was done on both filtered and unfiltered samples. There were samples taken early in the sampling period, which were not filtered. It is presumed that this was prior to the realization of the need to do both.

Table 1 shows a breakdown of filtered and unfiltered samples for which Cr analysis was done.

Table 1. 300-FF-5 Groundwater Samples.

:13

ا د

~!

()

<u>Well</u>	Unfiltered	<u>Filtered</u>	<u>Total</u>
3-1-10 3-1-11 3-1-12 3-1-13 3-1-14 3-1-15 3-1-16A 3-1-16B 3-1-17A	13 12 13 13 13 14 16 16	12 20 12 16 13 14 17 16 21	25 32 25 29 26 28 33 32 35
3-1-17B 3-1-18A 3-1-7 3-2-1 3-3-10 3-3-7 3-3-9 3-4-1 3-4-11 3-4-7	12 13 33 32 42 33 5 32 13 42	11 12 14 18 17 18 5 18 13	23 35 47 50 59 51 10 50 26
3-8-1 Totals	<u>10</u> 391	<u>10</u> 295	<u>20</u> 686

Appendix A provides a detailed listing of the samples and the results of the analysis. Figure 1 shows the location of the wells sampled in relation to the 300 Area process disposal facilities and the Columbia River.

Table 2 shows a breakdown of the lab results for Cr for the entire sample lot.

Table 2. Levels of Cr Analyzed in 300-FF-5 Groundwater.

μq/L (ppb)	<u>Unfiltered</u>	<u>Filtered</u>	<u>Total</u>
Cr undetected	351	295	646
Cr < 50 ppb	39	0	39
Cr ≥ 50 ppb	_1	0	_1
Totals	391	295	686

Ç

r .)

10


O

The location of wells that had detectable Cr can be seen in Figure 1.

Several observations can be made by looking at the breakdown in Table 1. First, only 40 samples out of 391 unfiltered samples (10.2%) had Cr above the method detection limits. By looking at the distribution of the 40 samples (either on Figure 1 or in Appendix A), it is apparent that there is not a concentration of Cr in any particular area or well, nor is there any particular well that shows a consistent presence of Cr in its samples. The 40 samples are divided up among 16 different wells.

Second, only one sample exceeded the safe drinking water limit of 50 ppb. This was a sample taken on December 16, 1991, in well 3-1-7. The level of Cr for this sample was 73 ppb, which, although it exceeds the drinking water limit, does not exceed the freshwater aquatic life standard (100 ppb) set by the U.S. Environmental Protection Agency (EPA) (Quality Criteria For Water, EPA 1976).

Third, the Cr is tied up with the suspended particulates. There were no filtered samples for which Cr was detectible. Of the 40 unfiltered samples in which Cr was detected, 33 have a matching filtered sample. All of the filtered samples came out below detection limits.



15

ুখ

0

Figure 1. Master Well Map.

3.0 SOILS ANALYSIS

Since Cr is tied up with the suspended material, the argument can be made that it is in the form of Cr(III) and not the toxic form Cr(VI). Detection of Cr(VI) in drinking water and groundwater from wastes disposed through recharge basins, diffusion wells, or landfills suggests this form of Cr is not effectively sorbed by the soil (Griffin et al. 1977; Adriano 1986). Since the filtered samples indicate no detectible Cr, it would appear that this Cr is effectively sorbed by the soil.

Adriano (1986) states that soluble Cr may be converted to insoluble forms when added to soils. One process is via reduction of soluble and relatively toxic Cr(VI) to Cr(III). If the Cr is tied up with the suspended particles and can be removed by filtering, it is not soluble and must therefore be in the reduced form of Cr(III). Adriano (1986) goes on to say the results indicate that although Cr(III) could be oxidized to Cr(VI) in soil, this is probably not all that common. On the other hand, when Cr(VI) is added to soil it can be expected to rapidly reduce to Cr(III). Therefore, Cr in most soils probably occurs as Cr(III).

To illustrate the increased potential for Cr(III) versus Cr(VI) to adsorb to particles one can look at the Distribution Coefficients for the two phases. Baes and Sharp (1983) discuss the Distribution Coefficients, Kd, where Kd is defined by the following equation:

$$X_d = \frac{C_d}{C_\bullet}$$

where

10

. .

*√*3

a o C_x is the concentration of the solid phase C_{\bullet} is the concentration in H_2O

Cr(VI) has a Distribution Coefficient between 1.2 and 1,800, whereas Cr(III) is in a much higher range of 470 to 150,000. Clearly, the Cr(VI) is less likely to adhere to particles and, hence more mobile and likely to be transported during infiltration. Conversely, the Cr(III) would be expected to adsorb more readily to particles, be less mobile and more capable of being filtered out of the groundwater.

To further strengthen the argument, Cary et al. (1977) and Adriano (1986) found that Cr(VI) was reduced to Cr(III) at a faster rate in acidic soils versus basic soils. Young and Fruchter (1991) give a list of acids disposed in the 300 Area Process Ponds. It makes sense that the Cr(VI) still remaining in the ponds during periods of acidic discharge would have a greater likelihood to reduce to Cr(III).

WHC-SD-EN-TI-039, Rev. 0

The pH is not the only contributing factor. Reduction of Cr(VI) in soil can be enhanced by the presence of organic material (Cary et al. 1977; Bartlett and Kimble, 1976; James and Bartlett, 1983; Adriano 1986). Young and Fruchter (1991) have indicated that organic chemicals were also discharged to the North and South Ponds, thus increasing the potential for the Cr(VI) to be reduced.

It is feasible that at the time of deposition, the conditions might be such that at least some of the Cr(VI) would not be reduced to Cr(III). As a result of Cr(VI) being soluble and because of the design of the process ponds and the process trenches (i.e., all liquids will infiltrate into the groundwater system and then directly into the river), any Cr(VI) that was not reduced would have gone immediately to the river. Young and Fruchter (1991) reveal that elevated Cr levels were detected in the seep water approximately 7 days after the Cr was discharged to the pond. A logical conclusion from this analysis is that a significant portion of the Cr discharged is no longer onsite.

4.0 CONCLUSION

-

(4.)

. ...

. .

F . 1

* 1

~

It is well documented that Cr(VI) was disposed in the 300-FF-1 Process Sewer system during intermittent periods for a great many years. This disposal was discontinued several years ago. The question is whether or not the Cr currently being detected in the 300-FF-1 and 300-FF-5 soil and water samples is Cr(VI) or Cr(III).

The comparison of the unfiltered samples and the filtered samples demonstrates that removal of the suspended material by filtering will remove the Cr to below detection limits. This implies that the Cr is tied up with the suspended material and is no longer insoluble. Due to the high potential for Cr(III) to adsorb to particles and the extreme unlikelihood for soluble Cr(VI) to attach to suspended particles, the Cr assayed in the samples cannot be Cr(VI).

Since Cr(VI) is soluble and hence much more mobile, it is expected that if there were any Cr(VI) that did not reduce to Cr(III) that it would have long since been transported to the river via the groundwater and is no longer onsite.

It should also be noted that the amount of Cr detected in the samples was below the drinking water standard (50 ppb) for 99.7% of the unfiltered samples. Only one sample was over 50 ppb and that sample was still under the freshwater aquatic life standard.

Therefore, it can be concluded that the Cr found in the soils of 300-FF-1 and in the groundwater of 300-FF-5 will cause no significant risk to human health or the environment.

WHC-SD-EN-TI-039, Rev. 0

5.0 REFERENCES

- Adriano, D. C., 1986, Trace Elements in the Terrestrial Environment, 156-177, Springer-Verlag, New York.
- Baes, C. F. III and R. D. Sharp, 1983, Journal of Environmental Quality 12(1):17-28.
- Bartlett, R. J. and J. M. Kimble, 1976, Journal of Environmental Quality 5:383-386.
- Cary, E. E., W. H. Allaway and O. E. Olson, 1977, Journal of Agricultural and Food Chemistry 25:305-309.
- EPA, 1976, Quality Criteria for Water, U.S. Environmental Protection Agency, Washington, D.C.
- Griffin, R. A., A. K. Au, and R. R. Frost, 1977, Journal of Environmental Science and Health Al2(8):431-449.
- James, B. R. and R. J. Bartlett, 1983, Journal of Environmental Quality 12:177-181.

e magazi

(.1.)

10

S

Young, J. S. and J. S. Fruchter, 1991, Addendum to Data Compilation Task
Report for the Source Investigation of the 300-FF-1 Operable Unit Phase
1 Remedial Investigations, EMO-1026, Pacific Northwest Laboratory,
Richland, Washington.

APPENDIX A WELL RESULT REPORT

 \mathcal{D}

(Y)

10

Vi V

₽

A-i

5/05/92

<u>ت</u>

(2)

10

0

Well Result Report

Page 1

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITUENT			RESULT			
Name	 Name	Units	Detection Limit	Sample Date		Analysis Value	
3-1-10	Chromium	PPB	10.0	2/24/87	<	10.0	
	1			3/13/87		13.0	
	1			4/29/87	<	10.0	
	1			6/18/87	<	10.0	
				8/19/87	<	10.0	
				11/19/87	<	10.0	
				5/26/88	<	10.0	
				8/01/88	<	10.0	
				12/09/88	<	10.0	
				6/07/89	<	10.0	
ļ				12/18/89	<	10.0	
1				7/15/91	U	20.0*	
	Chromium, filtered	000	40.0	12/06/91	U	20.0	
1 1	on onran, Trecered	PPB	10.0	2/24/87	<	10.6	
!				3/13/87	<	10.0	
i I				4/29/87	< .	10.0	
i				6/18/87	۲	10.0	
ľ				8/19/87 11/19/87	< <	10.0 10.0	
i				5/26/88	`	10.0	
j				8/01/88	` <	10.0	
j				12/09/88	` <	10.0	
i				6/07/89	· <	10.0	
1				12/18/89	<	10.0	
i			,	12/06/91	U	20.0	
3-1-11	Chromium	PPB	10.0	2/24/87	<	10.0	
Į			1	3/17/87	<	10.0	
			i	4/29/87	<	10.0	
j			-	6/30/87	<	10.0	
Į.				8/26/87		11.0	
			İ	11/05/87	<	10.0	
!				5/17/88	<	10.0	
!				8/11/88	<	10.0	
i i				12/07/88	<	10.0	
1			!	6/14/89	<	10.0	
i i			Ī	12/19/89	<	10.0	
1	Chromium, filtered	000		12/18/91		43.0	
; ;	Ga Gardin, TTCCEFED	PPB	10.0	2/24/87	<	10.0	
1			!	3/17/87	<	10.0	
1			ı	4/29/87	<	10.0	

5/05/92

S

N ()

Well Result Report

Page 2

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITU	RESULT				
Name	Name	Units	Detection Limit	Sample Date		nalysis /alue
3-1-11	Chromium, filtered	PPB	10.0	6/30/87	<	10.0
				8/26/87	<	10.0
				10/08/87	<	10.0
				10/15/87	<	10.0
				10/22/87	<	10.0
				10/29/87	<	10.0
				11/05/87	<	10.0
				11/11/87	<	10.0
				11/18/87	<	10.0
i	İ			11/23/87	<	10.0
		•		12/03/87	<	10.0
į				5/17/88	<	10.0
İ				J 8/11/88	<	10.0
				12/07/88	<	10.0
				6/14/89	<	10.0
				12/19/89	<	10.0
				12/18/91	U	20.0
3-1-12	Chromium	Lt B	10.0	! 2/21/87	<	10.0
3		.,,	10.0	3/13/87	· .	10.0
				4/27/87		10.0
				6/18/87	<	10.0
; ;				8/20/87	<	10.0
				11/11/87	<	10.0
ì				5/17/88	<	10.0
j				8/04/88	<	10.0
í				12/11/88		14.0
i				6/02/89		12.0
Ť				12/18/89	<	10.0
İ				7/18/91		21.0
ĺ				12/06/91	Ü	20.0
į	Chromium, filtered	PPB	10.0	2/21/87	<	10.0
Ì				3/13/87	<	10.0
Ì				4/27/87	<	10.0
į				6/18/87	<	10.0
i				8/20/87	<	10.0
Ì				11/11/87	<	10.0
į				5/17/88	<	10.0
į			;	8/04/88	<	10.0
i			j	12/11/88	<	10.0
i				6/02/89	<	10.0
i	•		j	12/18/89	<	10.0
•						

5/05/92

50

 $\cdot N$

Weil Result Report

Page 3

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITUE	RESULT				
Name) Нате	Units	Detection Limit	Sample Date		nalysis /alue
3-1-12	Chromium, filtered	PPB	10.0	12/06/91	υ	20.0
3-1-13	 Chromium	РРВ	10.0	2/27/87		16.0
			j	3/13/87	<	10.0
				4/27/87	<	10.0
			i	6/18/87	<	10.0
	1		J	8/25/87		12.0
	1		ł	11/18/87		10.0
	1		1	5/27/88	<	10.0
			!	8/01/88	<	10.0
	ĺ		Ì	12/11/88	<	10.0
			1	6/06/89	<	10.0
	1		1	12/18/89	<	10.0
			. 1	7/16/91	U	20.0
İ	I		1	12/11/91	IJ	20.0
	Chromium, filtered	PPB	10.0	2/27/87	<	10.0
	1		ļ	3/13/87	4	10.0
			1	4/27/87	<	10.0
			1	6/18/87	<	10.0
	1		1	8/25/87	<	10.0
1			j	8/25/87	<	10.0
			!	11/18/87	<	10.0
+			j	5/27/88	<	10.0
i			1	5/27/88	<	10.0
			1	8/01/88	<	10.0
ĺ			1	8/01/88	<	10.0
†			1	12/11/88	<	10.0
İ			j	6/06/89	<	10.0
			1	12/18/89	<	10.0
!			1	7/16/91	U	20.0
			1	12/11/91	U	20.0
3-1-14	Chromium	PPB	10.0	2/21/87	<	10.0
!			1	3/13/87	<	10.0
1			1	4/29/87	<	10.0
!			1	6/18/87	<	10.0
1			1	8/25/87		13.0
Ī			1	11/18/87		10.0
1			!	5/26/88	<	10.0
İ			ĺ	8/01/88	<	10.0
1			1	12/09/88	<	10.0
Ì			į	6/06/89	<	10.0

5/05/92

Well Result Report

Page 4

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITUE	RESULT				
Name	 Name	Units	Detection Limit	Sample Date		nalysis Value
3-1-14	Chromium	PPB	10.0	12/18/89	<	10.0
•	1	,,,		7/16/91	U	20.0
			,	12/11/91	IJ	20.0
	Chromium, filtered	PPB	10.0	2/21/87	<	10.0
	[3/13/87	<	10.0
				4/29/87	<	10.0
	1			6/18/87	<	10.0
İ	İ			8/25/87	<	10.0
	1			11/18/87	<	10.0
				5/26/88	<	10.0
				8/01/88	<	10.0
i				12/09/88	<	10.0
				6/06/89	<	10.0
				12/18/89	<	10.0
	,			7/16/91	U	20.0
				12/11/91	U	20.0
7 1.15	(Chamin	000	10.0	2/21/97	_	10.0
3-1-15	Chromium	25B	10.0	2/21/87	۲ ۲	10.0
				3/13/87 4/27/87	~	10.0 10.0
i				6/18/87	` <	10.0
			,	8/19/87	· <	10.0
				11/16/87	<	10.0
ï				5/26/88	· <	10.0
, ,	1		1	8/01/88	<	10.0
	! !			12/12/88	<	10.0
1				6/09/89	<	10.0
į				6/09/89	<	10.0
i				12/18/89	<	10.0
i				7/16/91	U	20.0
i				12/11/91	ប	20.0
i	Chromium, filtered	PPB	10.0	2/21/87	<	10.0
i	·			3/13/87	<	10.0
Ì				4/27/87	<	10.0
ļ				6/18/87	<	10.0
j				8/19/87	<	10.0
į				11/16/87	<	10.0
j			-	5/26/88	<	10.0
i			;	8/01/88	<	10.0
1			1	12/12/88	<	10.0
1	•		1	6/09/89	<	10.0
			l	6/09/89	<	10.0

5/05/92

CO

10

7

9

Well Result Report

Page 5

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONST	RESULT				
Name	Name	Units		Sample Date	Analysis Value	
********	***************************************					
3-1-15	Chromium, filtered	PPB	10.0	12/18/89	<	10.0
	Ī			7/16/91	U	. 20.0
	•			12/11/91	ũ	20.0
3-1-16A	l Chromium	PPB	10.0	l 3/23/87	<	10.0
				4/27/87	<	10.0
				6/05/87	<	10.0
				8/19/87	<	10.0
				11/16/87		11.0
				5/18/88	<	10.0
				8/02/88	<	10.0
				11/28/88	<	10.0
				12/06/88	<	10.0
				12/13/88	<	10.0
				1/13/89	<	10.0
				1/27/89	<	10.0
				6/07/89	<	10.0
				12/18/89		10.0
i				7/11/91	IJ	29.0
				12/06/91	Ü	20.0
	Chromium, filtered	PPB	10.0	3/23/87	<	10.0
i				4/27/87	<	10.0
i				6/05/87	<	10.0
				8/19/87	<	10.0
ĺ				11/16/87	<	10.0
,				5/18/88	<	10.0
i				5/18/88	<	10.0
i			j	8/02/88	<	10.0
j				8/02/88	<	10.0
ï				11/28/88	<	10.0
ĺ				12/06/88	<	10.0
i				12/13/88	4	10.0
i				1/13/89	<	10.0
i				1/27/89	<	10.0
}			1	6/07/89	<	10.0
i				12/18/89	<	10.0
į			j	12/06/91	IJ	20.0
3-1-16B	Chromium	PPB	10.0	3/23/87		11.0
· i			ľ	4/24/87		14.0
, 				6/09/87	<	10.0
1				8/19/87	<	10.0
· ·			'	5, ,,, 5,	-	

.

5/05/92

11

Geosciences Group PARADOX Database Well Result Report

Page 6

Chromium Result in Groundwater at the 300 Area Since 1/1/85

Name Name Name Units Limit Date Value	WELL	! CONSTITUENT			RESULT		
	Name	 Name	Units		-		
	3-1-16B	Chromium	PPB	10.0	11/16/87		10.0
11/28/88		1			5/18/88		
12/06/88		Į.			8/02/88	<	10.0
12/13/88 17.0 1/13/89 10.0 1/13/89 10.0 1/13/89 10.0 1/13/89 10.0 1/13/89 10.0 1/13/89 10.0 1/14/89 10.0 1/14/89 10.0 1/14/89 10.0 1/14/89 10.0 1/14/89 10.0 1/14/89 10.0 1/14/89 10.0 1/14/87 10.0 1/14/87 10.0 1/14/87 10.0 1/14/87 10.0 1/14/87 10.0 1/14/87 10.0 1/14/88 1/14/88		[11/28/88	<	10.0
1/13/89 < 10.0 1/27/89 < 10.0 6/07/89 < 10.0 6/07/89 < 10.0 6/07/89 < 10.0 1/27/89 < 10.0 1/27/89 < 10.0 1/27/89 < 10.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 1/2/06/91 41.0 6/09/87 < 10.0 6/09/87 < 10.0 6/09/87 < 10.0 1/16/87 < 10.0 11/16/87 < 10.0 11/16/87 < 10.0 11/16/87 < 10.0 11/16/87 < 10.0 11/28/88 < 10.0 11/28/88 < 10.0 12/28/88 < 10.0 12/28/88 < 10.0 12/28/88 < 10.0 12/28/88 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/89 < 10.0 12/28/87 < 10.0 12/28/87 < 10.0 12/28/87 < 10.0 12/28/87 < 10.0 12/28/87 < 10.0 12/28/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0		1			12/06/88	<	10.0
1/27/89 < 10.0 6/07/89 < 10.0 6/07/89 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 12/06/91 < 10.0 6/09/87 < 10.0 6/09/87 < 10.0 6/09/87 < 10.0 11/16/87 < 10.0 11/16/87 < 10.0 5/18/88 < 10.0 11/18/88 < 10.0 11/18/88 < 10.0 11/28/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 12/13/89 1		1			12/13/88		17.0
6/07/89 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 7/11/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 U 20/06/91 U 20.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/98 < 10.0 U 20/06/99 U 20/06] 1/13/89	<	10.0
12/18/89					1/27/89	<	10.0
Chromium, filtered PPB 10.0 7/11/91 23.5 12/06/91 41.0 3/23/87 10.0 3/23/87 10.0 4/24/87 10.0 6/99/87 10.0 6/99/87 10.0 8/19/87 10.0 8/19/87 10.0 11/16/87 10.0 11/16/87 10.0 11/18/88 10.0 11/28/88 10.0 11/28/88 10.0 11/28/88 10.0 12/13/88 10.0 12/13/88 10.0 12/13/88 10.0 12/13/88 10.0 12/13/89 10.0 12/13/89 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/88 10.0 12/18/89 12/18/89 12/		Ī			6/07/89	<	10.0
Chromium, filtered		1			12/18/89	<	10.0
Chromium, filtered PPB 10.0 3/23/87		İ			7/11/91	U	20.0
Chromium, filtered		1			7/11/91		23.5
4/24/87		1			12/06/91		41.0
		Chromium, filtered	PPB	10.0	3/23/87	<	10.0
		!			4/24/87	<	10.0
11/16/87 < 10.0 5/18/88 < 10.0 5/18/88 < 10.0 8/02/88 < 10.0 11/28/88 < 10.0 11/28/88 < 10.0 12/06/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/89 < 10.0 12/13/89 < 10.0 1/27/89 < 10.0 1/27/89 < 10.0 1/27/89 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 12/06/91 U 20.0		1			6/09/87	<	10.0
		1			8/19/87	<	10.0
8/02/88 < 10.0 11/28/88 < 10.0 12/06/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/89 < 10.0 12/78/99 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 <	i				11/16/87	<	10.0
11/28/88 < 10.0 12/06/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 12/13/89 < 10.0 1/13/89 < 10.0 1/27/89 < 10.0 6/07/89 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/07/87 < 10.0 12/07/87 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10					•	<	10.0
12/06/88 < 10.0 12/13/88 < 10.0 12/13/88 < 10.0 1/13/89 < 10.0 1/27/89 < 10.0 1/27/89 < 10.0 6/07/89 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 < 10.0 12/06/91 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.	i	i			8/02/88	<	10.0
12/13/88	ļ				11/28/88	<	
1/13/89 < 10.0 1/27/89 < 10.0 1/27/89 < 10.0 6/07/89 < 10.0 6/07/89 < 10.0 12/18/89 < 10.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/07/87 < 10.0 3/30/87	İ				12/06/88	<	10.0
1/27/89 < 10.0 6/07/89 < 10.0 12/18/89 < 10.0 12/18/89 < 10.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 10.0 12/06/91 C 10.0 12/06/91 C 10.0 12/06/91 C 10.0 12/06/91 C 10.0 12/06/91 C 10.0 12/06/91 C 10.0 12/06/91 C 10.0 12/07/88 C 10.0 12/07					12/13/88	<	10.0
6/07/89 < 10.0 12/18/89 < 10.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/07/87 < 10.0 12/07/87 < 10.0 12/07/87 < 10.0 12/07/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 <	İ] 1/13/89	<	10.0
12/18/89 < 10.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 12/06/91 U 20.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 11/05/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 10.0					1/27/89	<	10.0
12/06/91 U 20.0 12/06/91 U 20.0 20.0						<	
3-1-17A Chromium PP8 10.0 2/27/87					•	<	
3/30/87 10.0 4/23/87 < 10.0 4/23/87 < 10.0 6/04/87 < 10.0 8/20/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 5/20/88 < 10.0 8/15/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/89 < 10.0 10.0					12/06/91 	U	20.0
4/23/87 < 10.0 6/04/87 < 10.0 8/20/87 < 10.0 11/05/87 < 10.0 5/20/88 < 10.0 8/15/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 6/05/89 < 10.0	3-1-17A	Chromium	PPB	10.0	2/27/87	<	10.0
6/04/87 < 10.0 8/29/87 < 10.0 11/05/87 < 10.0 5/20/88 < 10.0 8/15/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0	į				3/30/87		10.0
8/20/87 < 10.0 11/05/87 < 10.0 11/05/87 < 10.0 5/20/88 < 10.0 5/20/88 < 10.0 8/15/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 < 10.0 12/19/89 10.0 12/19/89 10.0					4/23/87	<	10.0
11/05/87 < 10.0 5/20/88 < 10.0 8/15/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0	į				6/04/87	<	10.0
11/05/87 < 10.0 5/20/88 < 10.0 8/15/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0	i				8/20/87	<	10.0
8/15/88 < 10.0 12/07/88 < 10.0 12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0					11/05/87	<	10.0
12/07/88 < 10.0 12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0	1				5/20/88	<	10.0
12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0	1				8/15/88	<	10.0
12/07/88 < 10.0 6/05/89 < 10.0 12/19/89 < 10.0	İ					<	
6/05/89 < 10.0 12/19/89 < 10.0	1				12/07/88	<	
12/19/89 < 10.0	ĺ					<	
]				•	<	
	1				7/11/91	ម	20.0

5/05/92

*(****

24/11/1989

्र इस्र

9

Well Result Report

Page 7

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	WELL CONSTITUENT			RESULT			
Name	Name	Units	Detection Limit	Sample Date		Analysis Value	
3-1-17A	Chromium	PPB	10.0	12/10/91	U	20.0	
	Chromium, filtered	PPB	10.0	2/27/87	<	10.0	
	1			3/30/87	<	10.0	
	1			4/23/87	<	10.0	
	1			6/04/87	<	10.0	
	1			8/20/87	<	10.0	
	1			10/08/87	<	10.0	
	I			10/15/87	<	10.0	
	Ī			10/22/87	<	10.0	
]			10/29/87	<	10.0	
				11/05/87	<	10.0	
	!			11/11/87	<	10.0	
	!			11/18/87	<	10.0	
	{ 1			11/23/87	<	10.0	
	<u> </u>			12/03/87	<	10.0	
	<u> </u>			5/20/88	<	10.0	
	1			8/15/88	<	10.0	
				12/07/88	<	10.0	
	[•			12/07/88	4:	10.0	
	1 1			6/05/89	<	10.0	
				12/19/89	< 	10.0	
				12/10/91 	U	20.0	
3-1-17B	Chromium	PPB	10.0	3/30/87		13.0	
1				4/23/87		14.0	
į				6/05/87		19.0	
				8/20/87		10.0	
				11/05/87		14.0	
į				5/20/88	<	10.0	
				8/15/88	<	10.0	
				12/11/88		14.0	
!				6/05/89	<	10.0	
!				12/19/89	<	10.0	
!				7/11/91	U	20.0	
!	ation to state t			12/10/91	U	20.0	
	Chromium, filtered	PPB	10.0	3/30/87	<	10.0	
j			ļ	4/23/87	<	10.0	
I ,				6/05/87	<	10.0	
1				8/20/87	<	10.0	
l i				11/05/87	<	10.0	
] 			• !	5/20/88	<	10.0	
I			1	8/15/88	<	10.0	

5/05/92

00

10

1

~

Well Result Report

Page 8

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITUENT				RESULT			
Name	Name		Units	Detection Limit	Sample Date	Analysis Value		
3-1-178	Chromium,	filtered	РРВ	10.0	12/11/88	<	10.0	
	i				6/05/89	<	10.0	
	1				12/19/89	<	10.0	
	[12/10/91	U	20.0	
3-1-18A	 Chromium		PPB	10.0	2/27/87	<	10.0	
	1				3/31/87	<	10.0	
	1				4/22/87	<	10.0	
	1				6/18/87	<	10.0	
]				8/24/87	<	10.0	
	ļ				11/17/87		17.0	
	[5/23/88		10.0	
	!				8/16/88	<	10.0	
	1				12/07/88	۲,	10.0	
	ŧ				6/08/89	<	10.0	
	!				12/18/89	<	10.0	
	!				7/15/91		31.5	
]				12/13/91		30.0	
	Chromium,	filtered	PPB	10.0	2/27/87	<	10.0	
	ļ †				3/31/87	<	10.0	
	1				4/22/87	<	10.0	
	1				6/18/87	<	10.0	
	į				8/24/87	<	10.0	
	!				11/17/87	<	10.0	
	ļ				5/23/88	<	10.0	
					8/16/88	<	10.0	
	1				12/07/88	<	10.0	
	! •				6/08/89	<	10.0	
					12/18/89	< 	10.0	
					12/13/91 	U	20.0	
3-1-7	Chromium		PPB	10.0	8/02/85		25.0	
					8/23/85		13.0	
					9/26/85		13.0	
					10/25/85	<	10.0	
					12/10/85	<	10.0	
j	- 				1/14/86	<	10.0	
	•				2/14/86	<	10.0	
					3/18/86	<	10.0	
i					4/21/86	<	10.0	
ļ					5/20/86	<	10.0	
					6/24/86	· ·	10.0	
	•				, -, -, , , ,			

5/05/92

Well Result Report

Page 9

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL CONSTITUENT			Į RE	SULT		
Name	Name	Units	Detection Limit	Sample Date		Analysis Value
3-1-7	Chromium	PPB	10.0	7/18/86	<	10.0
	1	., 0	10.0	8/18/86	~	10.0
	į			9/17/86	<	10.0
	i			10/28/86	ζ	10.0
	i			11/13/86	<	10.0
	i			12/10/86	<	10.0
	i			2/21/87	<	10.0
	į			3/25/87	<	10.0
	Ì			4/15/87	<	10.0
	İ			6/19/87	<	10.0
	İ			8/17/87	<	10.0
	İ			11/13/87	<	10.0
	1			5/24/88	<	10.0
	Ī			8/03/88	<	10.0
	1			12/12/88	<	10.0
	1			12/12/88	<	10.0
	I			6/02/89	<	10.0
	!			11/21/89	<	10.0
	1			12/19/89	<	10.0
	1			12/19/89	<	10.0
				7/09/91	U	20.0
				12/16/91		<i>7</i> 3.0
	Chromium, filtered	PPB	10.0	10/28/86	<	10.0
				12/10/86	<	10.0
	<u> </u>			8/17/87	<	10.0
				11/13/87	<	10.0
				5/24/88	<	10.0
				8/03/88	<	10.0
				12/12/88	<	10.0
			ļ	12/12/88	<	10.0
				6/02/89	<	10.0
			į	11/21/89	<	10.0
				12/19/89	<	10.0
			ļ	12/19/89	<	10.0
			·	7/09/91	Ü	20.0
			1	12/16/91	U	20.0
3-2-1	Chromium	PPB	10.0	6/17/85	<	10.0
!			İ	7/23/85	<	10.0
į			ĺ	8/20/85	<	10.0
!			. 1	9/23/85	<	10.0
I			İ	10/30/85	<	10.0

5/05/92

11)

(2)

्य () Well Result Report

Page 10

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITUENT] RE	SULT		
Name	Name	Units	Detection Limit	Sample Date	,	Analysis Value
3-2-1	Chromium	PPB	10.0	12/05/85	≺ .	10.0
	I			1/20/86	<	10.0
	1			2/21/86	<	10.0
	1			3/18/86	<	10.0
	I			4/22/86	<	10.0
				5/27/86	<	10.0
	1			6/18/86	<	10.0
	!			7/17/86	<	10.0
	!			8/22/86	<	10.0
				9/22/86	<	10.0
	!			10/21/86	<	10.0
	1			11/12/86	<	10.0
	•			12/08/86	<	10.0
	1			1/19/87	<	10.0
	<u> </u>			2/19/87	<	10.0
	1			3/26/87	<	10.0
				4/21/87	<	10.0
				6/24/37	۲	10.0
				8/14/87	<	10.0
				11/10/87	<	10.0
				5/24/88	<	10.0
•				8/17/88	<	10.0
				12/11/88	<	10.0
				6/09/89	٠	10.0
				12/19/89 7/09/91	٠ ن	10.0 20.0
				•		
	Chromium, filtered	PPB	10.0	12/18/91 9/22/86	U <	20.0 10.0
		713	10.0	10/21/86	`	10.0
ì				11/12/86	<	10.0
ï				12/08/86	<	10.0
i				1/19/87	<	10.0
Í				2/19/87	<	10.0
Ì				3/26/87	<	10.0
				4/21/87	<	10.0
				6/24/87	<	10.0
İ				8/14/87	<	10.0
1			ĺ	11/10/87	<	10.0
l			i	5/24/88	<	10.0
1	•		İ	8/17/88	<	10.0
1			İ	12/11/88	<	10.0
l			Ī	6/09/89	<	10.0
			·			

5/05/92

73

10

∱.t

9

Well Result Report

Page 11

Chromium Result in Groundwater at the 300 Area Since 1/1/85

MELL	[сон	STITUENT		RE	SULT	
Name	 Name	Units	Detection Limit	Sample Date		nalysis Value
3-2-1	Chromium, filtered	PPB	10.0	12/19/89	<	10.0
	1			7/09/91	U	20.0
				12/18/91	U	20.0
3-3-10	Chromium	PPB	10.0	 7/01/85		10.0
	1			7/01/85	<	10.0
	1			7/01/85	<	10.0
	1			7/01/85	<	10.0
	1			7/30/85	<	10.0
	1			7/30/85	<	10.0
	1			7/30/85	<	10.0
	1			7/30/85		38.0
	1			8/22/85	<	10.0
	1			8/22/85	<	10.0
	[8/22/85	<	10.0
				8/22/85	<	10.0
	1			9/30/85	<	10.0
	1			10/23/85	<	10.0
	1			10/23/85	<	10.0
	1			11/21/85	<	10.0
	I			1/16/86	<	10.0
	1			2/19/86	<	10.0
	ľ			3/14/86	<	10.0
ı	1			4/17/86	<	10.0
	1			5/22/86	<	10.0
	1			6/23/86	<	10.0
				7/22/86	<	10.0
				8/29/86	<	10.0
				9/19/86	<	10.0
				10/22/86	<	10.0
	<u> </u>			11/11/86	<	10.0
				12/09/86	<	10.0
				1/22/87	<	10.0
				2/03/87	<	10.0
				3/29/87	<	10.0
				4/14/87	<	10.0
				6/25/87	<	10.0
i				8/13/87	<	10.0
i			•	11/20/87	<	10.0
				5/09/88	<	10.0
1			:	8/17/88	<	10.0
				12/09/88	<	10.0
•			l	, 5,, 60	•	,3,0

5/05/92

Well Result Report

Page 12

Chromium Result in Groundwater at the 300 Area Since 1/1/85

Mana I Mana	10.0 10.0 20.0 20.0 10.0 10.0 10.0 10.0
3-3-10 Chromium	10.0 20.0 20.0 10.0 10.0 10.0 10.0
12/19/89 < 7/12/91 U	10.0 20.0 20.0 10.0 10.0 10.0 10.0
7/12/91 U	20.0 20.0 10.0 10.0 10.0 10.0 10.0
· · · · · · · · · · · · · · · · · · ·	20.0 10.0 10.0 10.0 10.0 10.0
1 (2/10/91 1)	10.0 10.0 10.0 10.0 10.0
t mit de des de de de de de de de de de de de de de	10.0 10.0 10.0 10.0 10.0
Chromium, filtered PPB 10.0 9/19/86 < 10/22/86 <	10.0 10.0 10.0 10.0
11/11/86 <	10.0 10.0 10.0
12/09/86 <	10.0 10.0
1/22/87 <	10.0
2/03/87 <	
3/29/87 <	
4/14/87 <	10.0
6/25/87 <	10.0
8/13/87 <	10.0
11/20/87 <	10.0
·	10.0
·	10.0
t .	10.0
•	10.0
	10.0
t in the second	20.0
	2010
3-3-7 Chromium PPB 10.0 6/25/85 <	10.0
1	10.0
1	10.0
·	10.0
10/28/85 <	10.0
11/25/85 <	10.0
1/17/86 <	10.0
2/19/86 <	10.0
3/14/86 <	10.0
4/17/86 <	10.0
5/19/86 <	10.0
6/20/86 <	10.0
7/17/86 <	10.0
8/19/86 <	10.0
9/19/86 <	10.0
10/20/86 <	10.0
11/10/86 <	10.0
12/04/86 <	10.0
1/19/87 <.	10.0
2/04/87 <	10.0

5/05/92

20

~ .

()

Well Result Report

Page 13

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITUENT		RESULT			
Name	Name	Units	Detection Limit	Sample Date		Analysis Value
3-3-7	Chromium	PPB	10.0	3/18/87		10.0
		****	10.0	4/28/87	< <	10.0 10.0
	i			6/24/87	~	10.0
	i			8/13/87	`	10.0
	i			11/09/87	` <	10.0
	İ			5/27/88		10.0
	İ			8/19/88	<	10.0
	1			12/08/88	<	10.0
	I			8/16/89	<	10.0
	I			8/16/89	<	10.0
	1			12/19/89	<	10.0
]			7/12/91		30.0
•	1			12/17/91	U	20.0
	Chromium, filtered	PPB	10.0	9/19/86	<	10.0
	!			10/20/86	<	10.0
	l			11/10/86	<	10.0
				12/04/86	<	10.0
				1/19/87	<	10.0
				2/04/87	<	10.0
				3/18/87	<	10.0
				4/28/87	<	10.0
				6/24/87	<	10.0
			:	8/13/87	<	10.0
:				11/09/87	<	10.0
	, , , , , , , , , , , , , , , , , , ,		ļ	5/27/88	<	10.0
				8/19/88	<	10.0
1			•	12/08/88	<	10.0
!				8/16/89	<	10.0
j				8/16/89	<	10.0
				12/19/89	<	10.0
, 			l	12/17/91	U	20.0
3-3-9	Chromium	PPB	10.0	12/11/88	<	10.0
1			l	6/12/89	<	10.0
			·	12/19/89	<	10.0
1			i	7/15/91	U	20.0
1			, i	12/17/91	U	20.0
!	Chromium, filtered	PPB	10.0	12/11/88	<	10.0
1			i	6/12/89	<	10.0
1			i	12/19/89	<	10.0
1			i	7/15/91	U	20.0
1			i	12/17/91	U	20.0
			·			

5/05/92

10

Well Result Report

Page 14

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITU	ENT		RE	SULT	
Name	Name	Units	Detection Limit	Sample Date		Analysis Value
3-4-1	 Chromium 	PPB	10.0	7/02/85	<	10.0
				7/23/85	<	10.0 15.0
				9/24/85	<	10.0
				10/28/85	<	10.0
				12/06/85	<	10.0
				1/17/86	<	10.0
I				2/18/86	<	10.0
} 1				3/13/86		23.0
i				4/18/86	<	10.0
:				5/22/86	<	10.0
ı İ				6/23/86	<	10.0
				7/22/86	٠	10.0
i				8/27/86 9/23/86	۲	10.0
			•	10/23/86	< <	10.0 10.0
j				11/11/86	`	10.0
i				12/09/86	· <	10.0
j				1/15/87	· <	10.0
1				2/23/87	<	10.0
!				3/26/87	<	10.0
1				4/21/87	<	10.0
İ				6/25/87	<	10.0
į				8/13/87	<	10.0
1				11/12/87	<	10.0
1				5/27/88	<	10.0
I				8/19/88	<	10.0
ļ			1	12/21/88	<	10.0
ļ			1	7/12/89	<	10.0
į				12/20/89	<	10.0
			I	7/10/91	U	20.0
ļ	alone to the		ŀ	12/10/91	U	20.0
1	Chromium, filtered	PPB	10.0	9/23/86	<	10.0
ļ			ļ	10/23/86	<	10.0
1			ļ	11/11/86	<	10.0
1			1	12/09/86	<	10.0
ļ			!	1/15/87	<	10.0
j 1			Ī	2/23/87	<	10.0
 			ļ	3/26/87	<	10.0
† 1]	4/21/87	<	10.0
i			1	6/25/87	<	10.0

5/05/92

. .

0

111

on Na

₩

Well Result Report

Page 15

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	!	CON	STITUENT		RE	SULT	
Name	 Name		Units	Detection Limit	Sample Date		nalysis Value
3-4-1	Chromium, f	filtered	РРВ	10.0	8/13/87	<	10.0
	ĺ				11/12/87	<	10.0
	1				5/27/88	<	10.0
	I				8/19/88	<	10.0
	1				12/21/88	<	10.0
					7/12/89	<	10.0
	İ				12/20/89	<	10.0
	[7/10/91	U	20.0
	 				12/10/91 	ប	20.0
3-4-11	Chromium		PPB	10.0	2/24/87		17.0
					4/01/87	<	10.0
	1				4/23/87	<	10.0
	1				6/25/87		14.0
					8/26/87	<	10.0
					11/11/87		23.0
	 				5/25/88	<	10.0
	ļ 1				8/17/88	<	10.0
	; !				12/15/88	<	10.0
	! }				6/06/89	<	10.0 10.0
	! 				7/15/91	`	22.0
	; T				12/11/91		22.0
	Chromium, f	iltered	PPB	10.0	2/24/87	<	10.0
		•			4/01/87	<	10.0
	Í				4/23/87	<	10.0
	1				6/25/87	<	10.0
					8/26/87	<	10.0
	I				11/11/87	<	10.0
	İ				5/25/88	<	10.0
					8/17/88	<	10.0
					12/15/88	<	10.0
					6/06/89	<	10.0
					12/20/89	<	10.0
					7/15/91	U	20.0
					12/11/91 	U	20.0
3-4-7	Chromium		PPB	10.0	7/01/85	<	10.0
	İ				7/01/85	<	10.0
j	1				7/01/85	<	10.0
	•				7/01/85		28.0
i					7/30/85	<	10.0

5/05/92

10

on N

⊘

Well Result Report

Page 16

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CON	STITUENT] RES	SULT	
Name	Name	Units	Detection Limit	Sample Date	,	analysis Value
3-4-7	Chromium	PPB	10.0	7/30/85	≺	10.0
. .	T cin cin cin	,,,,	,,,,,	7/30/85	<	10.0
	! 			7/30/85	<	10.0
	1			8/22/85	<	10.0
				8/22/85	<	10.0
	; ;			8/22/85	<	10.0
				8/22/85		13.0
	; 1			9/25/85	<	10.0
	: 			10/25/85	<	10.0
	; 1			10/25/85	<	10.0
	1 			11/21/85	<	10.0
	, 1			1/16/86	<	10.0
	i			2/20/86	<	10.0
	I			3/13/86	<	10.0
	i			4/18/86	<	10.0
	i İ			5/22/86	<	10.0
	i			6/23/86	<	10.0
	1			7/18/86	<	10.0
	i			8/22/86	<	10.0
	Ì			9/19/86	<	10.0
•	i			10/22/86	<	10.0
	I			11/10/86	<	10.0
	i			12/09/86	<	10.0
	•			1/22/87	<	10.0
				2/03/87	<	10.0
	i i			3/18/87	<	10.0
	İ			4/21/87	<	10.0
	İ			6/25/87	<	10.0
	i			8/13/87	<	10.0
	1			11/06/87	<	10.0
	, 1			5/16/88	<	10.0
	i			8/17/88	<	10.0
	i			12/09/88	<	10.0
	, 1			6/13/89	<	10.0
	! 			12/20/89	<	10.0
	, 			7/09/91	U	20.0
	, 			1 12/10/91	บ	20.0
	Chromium, filtered	PPB	10.0	9/19/86	<	10.0
]		~ - • -	10/22/86	<	10.0
	1 			11/10/86	<	10.0
	! 			12/09/86	<	10.0
	; [1/22/87	· <	10.0
	I			, ,,,,,,,,,	•	,,,,

5/05/92

Û

10

○○

Well Result Report

Page 17

Chromium Result in Groundwater at the 300 Area Since 1/1/85

WELL	CONSTITUENT		CONSTITUENT RESUL			SULT	
Name	Name	Units	Detection Limit	Sample Date		alysis alue	
3-4-7	Chromium, filtered	PPB	10.0	2/03/87	<	10.0	
	f			3/18/87	<	10.0	
	I			4/21/87	<	10.0	
	1			6/25/87	<	10.0	
	l			8/13/87	<	10.0	
	1			11/06/87	<	10.0	
	1			5/16/88	<	10.0	
	1			8/17/88	<	10.0	
	1			12/09/88	<	10.0	
	!			6/13/89	<	10.0	
	Ī			12/20/89	<	10.0	
	Ī			7/09/91	U	20.0	
	<u> </u>			12/10/91	U	20.0	
3-8-1	Chromium	PPB	10.0	11/19/87	<	10.0	
				5/10/88	∢.	10.0	
	l			8/18/88	<	10.0	
	Ì			12/09/88		13.0	
				6/05/89	<	10.0	
	[12/20/89	<	10.0	
				4/12/90	<	10.0	
				7/15/91	U	20.0	
				12/20/91	U	20.0	
				12/20/91	U	20.0	
				12/20/91	U	20.0	
				12/20/91	IJ	20.0	
	Chromium, filtered	PPB	10.0	11/19/87	<	10.0	
				5/10/88	<	10.0	
				8/18/88	<	10.0	
				12/09/88	<	10.0	
				6/05/89	<	10.0	
				12/20/89	<	10.0	
				4/12/90	<	10.0	
				7/15/91 	ឋ	20.0	

	Date Received:	INF	ORMATIC	ION RELEASE REQUEST			Reference: WHC-CM-3-4		
ŀ	-1-1-m6	E	omplete for	all Types of					
ſ	Purpo	se				de revision, volume	•		
l	[] Speech or Presentation	l ixi	Reference	Damart	WHC-SD-EN-	TI-039, Re	v, ø		
١	[] Full Paper (Check only on	. 🗓	Technical : Thesis or f	Hoport Dissortation	List attachments.				
1	Summary suffix)		Manuai		-				
1	[] Abstract	1 11	Brochure/F	lier					
١	[] Visual Aid		Software/I		Date Release Requ	iired	- · ·		
ļ	[] Speakers Bureau [] Poster Session			Document		00 1000			
ı	[] Videotape	12	Other		١	June 28, 1992			
ŀ	Title Evaluation of Hexava	lent Ch	romium f	or 300-FF-	1 and Unctassi	fied Category	Impact		
١	300-FF-5 Operable Units				UC-		Level 4		
Ì		X] No	Yes		n received from others in	confidence, such as pi	roprietary data,		
1	If "Yes", has disclosure been submitted by WHO				ets, and/or inventions?				
	[] No [] Yes Disclosure No(s).			[X] No.	Yes (Identify)				
t	Copyrights? [X] No [] Yes			Trademark	s?				
	if "Yes", has written permission been granted?								
	No Tyes (Attach Permission)								
İ		Co	omplete for	Speech or Pres			·		
ļ	Title of Conference or Meeting			Group or	Society Sponsorin	g			
١				<u></u>			F-7		
-	, Date(s) of Conference or Meeting C	ity/State		Wil	l proceedings be publish	ed? [] Yes	[] No		
1				Wil	f material be handed out	? Yes	[X] No		
1	Title of Journal	Title of Journal							
			•			······································			
				T FOR SIGNATOR					
4	Review Required per WHC-CM-3-4	<u>Yeş</u>	No Rev	<u>viewer</u> - Signat Name (print	ture Indicates Appr ed)	roval Signature	Date		
	Classification/Unclassified Controlled			Haile (print)	<u>-M/</u>	A I MINGE COLO	Agec		
Ì	Nuclear Information	[]	[X]						
	, Patent - General Counsel	[X]	<u>[] 건</u>	WISERG	CIN /H	Demlar	40102		
	Legal - General Counsel	[X]			70	<u> </u>			
	Applied Technology/Export Controlled		/						
_]	Information or International Program		[X]						
	³ WHC Program/Project:		[X]		z*				
173	a Communications	[X]	X	' <u></u>					
	RL Program/Project	' [X]	XX _						
[]	Publication Services	[X] -		Hermann	for DE.S. of	Hermann	6/18/92		
	Other Program/Project		[X]		<u> </u>		· · · ·		
	Information conforms to all applicab	[]		e above inform	ation is certified	to be correct.			
	THOUGHT TON CONTOINS TO ALL SPOTTCAL	Yes	No		MATION RELEASE ADM		AL STAMP		
	References Available to intended Audience		[X]		i before release. Releas				
			۲۰٦	mandatory comm		Carrie Contract	ı		
	Transmit to DOE-HQ/Office of Scientific and Technical Information			:	100	FUF FUF			
	ene recition minimize	[]	[X]			61012 · 1013			
	Author/Requestor (Printed/Signature)		Date / /			- P. C. C. C. C. C. C. C. C. C. C. C. C. C.			
			6/2/92						
	R. D. Belden	olde	~5"T		8		•		
	Intended Audience				M.	in na			
	'\				The state of the s	Cof LU			
	[] Internal [] Sponsor [X	(] Extern	al						
	Responsible Manager (Printed/Signatu	ure)	Date						
	1 n a contact OC A - A		6100	Data Canadii		Date Disapproved	<u>. </u>		
	R. A. Carlson K(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	som to	2/90	Date Cancelle	-u	nare nisabbloved	·		

DISTRIBUTION SHEET

To:	From:	Date:
Distribution	Environmental Engineering	6/26/92
DISCINDUCTOR	ziii i ziiii ziii zii zii zii zii zii z	

Project Title/Work Order:

Evaluation of Hexavalent Chromium for 300-FF-1 and 300-FF-5 Operable Units

ECN No.:

EDT No.: 158869

FTK*

6

17

€ • €

Name	MSIN	With Attachment	EDT/ECN & Comment	EDT/ECN Only
R.D. Belden (15)	H4-55	X		
EDMC (2)	H4-22	X		
IRA Clearance	H4-17	X		
Central Files	L8-04	X		